

Material Safety Data Sheet



Phone: 800-788-7113
Fax: 818-227-4852
Prepared: 08/24/02
Updated: 10/1/02

MSDS Date: 08/24/02
Product Names: Antico™, Marmorino™, Veneciano™, Tuscany™, Terra™, and Frascati™
Manufacturer: Texston

I. Product and Company Description

Texston
8239 Remmet Avenue
Canoga Park, CA 91304

Emergency Phone Number:
818-227-4812

For Product Information:
800-788-7113

Chemical Name or Synonym:
NA

Product Use:
Plaster

II. Chemical Composition

Each TexSton product consists of proprietary combinations of some or all of the following ingredients. Each product consists of over 95% lime, cement, mineral aggregates or water, and less than 5% admixtures.

LIME & CEMENT INGREDIENTS

Lime
Slaked lime
White cement

MINERAL AGGREGATES

Calcium carbonate
Dolomite
Sand-silica
Sand

ADMIXTURES

Acrylic

Material Safety Data Sheet



Phone: 800-788-7113
Fax: 818-227-4852
Prepared: 08/24/02
Updated: 10/1/02

Titanium Dioxide
Carnauba wax
Siloxane oil
Stearate
Mineral oxide pigment
Other proprietary admixtures

III. Hazards Identification

Potential Health Effects:

Acute Eye:

May cause irritation.

Acute Skin:

May cause irritation.

Acute Inhalation:

May cause irritation.

Acute ingestion:

May cause gastrointestinal irritation if swallowed.

Chronic effects:

Not Determined

IV. First Aid Measures

First Aid Measures for Accidental:

Eye Exposure:

Immediately flush eyes with copious amounts of water for at least 15 minutes. If irritation develops, SEEK MEDICAL ATTENTION.

Skin Exposure:

Wash affected areas with soap and water. If irritation develops, SEEK MEDICAL ATTENTION. Remove and launder contaminated clothing before reuse.

Inhalation:

Move to fresh air. If not breathing, administer artificial respiration. If breathing is difficult, give oxygen. SEEK MEDICAL ATTENTION.

Material Safety Data Sheet



Phone: 800-788-7113
Fax: 818-227-4852
Prepared: 08/24/02
Updated: 10/1/02

Storage:

Keep package tightly closed and at room temperature.

VIII. Exposure Controls / Personal Protection

Exposure Guidelines:

Due to the encapsulated form of these products, no exposure to the components in the products is anticipated under normal use conditions.

Engineering Controls:

Ventilation must be adequate to maintain the ambient workplace atmosphere below the exposure limit(s) outlined in the MSDS.

Respiratory Protection:

Follow the OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149. Always use a NIOSH/MSA approved respirator when necessary.

Eye / Face Protection:

Wear safety glasses with side shields or goggles.

Skin Protection:

Wear chemical resistant gloves and protective clothing to minimize skin contact.

IX. Physical and Chemical Properties

Physical Appearance: White or tinted powders or pastes

Odor: ND

pH: ND

Specific Gravity: ND

Water Solubility: Expected to be Insoluble

Melting Point: ND

Freezing Point 32°F

Boiling Point: ND

Vapor Pressure: ND

Material Safety Data Sheet



Phone: 800-788-7113
Fax: 818-227-4852
Prepared: 08/24/02
Updated: 10/1/02

Vapor Density: ND

Percent Volatiles by Volume: ND

Viscosity: ND

X. Stability and Reactivity

Chemical Stability:

Stable

Conditions to Avoid:

Protect from freezing and excessive heat

Materials / Chemicals to Be Avoided:

ND

Hazardous Decomposition Products:

ND

Hazardous Polymerization:

Not expected under normal conditions

XI. Toxicological Information

Carcinogenicity: ND

Acute Eye Irritation:

May cause irritation

Acute Skin Irritation:

May cause irritation

Acute Respiratory Irritation:

May cause irritation.

Acute Oral Toxicity:

May cause gastrointestinal irritation if swallowed

Chronic Toxicity:

ND

Material Safety Data Sheet



Phone: 800-788-7113
Fax: 818-227-4852
Prepared: 08/24/02
Updated: 10/1/02

XII. Ecological Information

Ecotoxicological Information:
ND.

XIII. Disposal Considerations

Waste Disposal Method:
Dispose of in accordance with federal, state and local regulations.

XIV. Transportation Information

US Department of Transportation Shipping Name:

US Department of Transportation	Proper Shipping Name	None
	Hazard Class	None
	ID Number	None
	Packaging Group	None

XV. Regulatory Information

Federal Regulations:

SARA Title III Hazard Classes:

Fire Hazard: NO
Reactive Hazard: NO
Release of Pressure: NO
Acute Health Hazard: NO
Chronic Health Hazard: NO

SARA
None

Material Safety Data Sheet



Phone: 800-788-7113
Fax: 818-227-4852
Prepared: 08/24/02
Updated: 10/1/02

TSCA

Components of this product are listed on the TSCA inventory.

Other Regulations:

State
None

XVI. Other Information

Key Legend Information:

N/A – Not Applicable

ND – Not Determined

ACGIH – American Conference of Governmental Industrial Hygienists

OSHA – Occupational Safety and Health Administration

TLV – Threshold Limit Value

PEL – Permissible Exposure Limit

TWA – Time Weighted Average

STEL – Short Term Exposure Limit

NTP – National Toxicology Program

IARC – International Agency for Research on Cancer

The information contained herein is based on the data available to us and is believed to be correct. However Texston makes no warranty, expressed or implied regarding the accuracy of these data or the results to be obtained from the use thereof.