

Intertek does hereby certify that an independent assessment has been conducted on behalf of

TEXSTON INDUSTRIES, INC.

Certificate Number: CA-40023-2024c Certification issue date: 17 April 2025

Certification valid until: 20 August 2025

Applicant Address: 8025 Deering Ave

Canoga Park, CA 91304 USA

Product Category: Building Products

Product Details: See Appendix

Conformance Criteria: California Department of Public Health (CDPH) Standard Method v1.2: School Classroom Only.

Issuing Office Name & Address: Intertek Testing Services NA, Inc.

4700 Broadmoor Ave SE, Suite 200

Kentwood, MI 49512 USA

Ph: +1-616-656-7401

Certification Officer
17 April 2025

This Certificate is for the exclusive use of Intertek's client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Certificate. Only the Client is authorized to permit copying or distribution of this Certificate. Any use of the Intertek name or one of its marks for the sale or advertisement of the these marks for the sale or advertisement of the these marks for the sale or advertisement of the these marks for the sale or advertisement of the these marks for the sale or advertisement of the these marks for the sale or advertisement of the sale or advertisement of the transfer of the sale or advertisement of the transfer of the sale or advertisement of the transfer of the sale or advertisement of the sale or



Certificate Appendix

TEXSTON INDUSTRIES, INC.

Certificate Number: CA-40023-2024c

Product Category	Plaster & Stucco
Model Name(s)	Texston Antico™, Texston Hydrolime™ 7, Texston Hydrolime™ Tadelakt, Texston Hydrolime™ 125 Carrera, Texston Hydrolime™ 50 Marmorino, Texston LiquidPlaster™, Texston Lucido™, Texston Marmorino™, Texston Palladino™, Texston Veneciano™
Product Restrictions	None
TVOC Range*	0.5 to 5.0 mg/m ³

^{*}TVOC range stated is based on the most stringent modeling scenario as listed in the Conformance Criteria on page 1.