

CLASSIFICATION: 09 24 00

PRODUCT DESCRIPTION: A DECORATIVE, INTEGRALLY COLORED PLASTER AND STUCCO FINISH FOR INTERIOR AND EXTERIOR USE, FORMULATED WITH BOTH PORTLAND CEMENT AND LIME FOR STRENGTH AND DURABILITY. CONTAINS A UNIQUE BLEND OF POLYMER ADMIXTURES WHICH CONTRIBUTE TO SUPERIOR ADHESION AND EASE OF APPLICATION.



## Section 1: Summary

## Nested Method/Product Threshold

### CONTENT INVENTORY

#### Inventory Reporting Format

- ☒ Nested Materials Method  
☐ Basic Method

#### Threshold Disclosed Per

- ☐ Material  
☒ Product

#### Threshold Level

- ☐ 100 ppm  
☒ 1,000 ppm  
☐ Per GHS SDS  
☐ Per OSHA MSDS  
☐ Other

#### Residuals/Impurities

Residuals and impurities considered in 0 of 8 materials

Explanation(s) provided for

Residuals/Impurities?

- ☐ Yes ☒ No

All Substances Above the Threshold Indicated Are:

**Characterized** ☐ Yes Ex/SC ☒ Yes ☐ No  
% weight and role provided for all substances

**Screened** ☐ Yes Ex/SC ☒ Yes ☐ No  
Screened using Priority Hazard Lists with results disclosed

**Identified** ☐ Yes Ex/SC ☒ Yes ☐ No  
Disclosed by Name (Specific or Generic) and identifier

SC = Special Condition (See Notes)

### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product material contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

**MATERIAL | SUBSTANCE** GREENSCREEN SCORE HAZARD TYPE;

**AGGREGATE** | **UNDISCLOSED** LT-UNK ; **UNDISCLOSED** LT-1 CAN; **UNDISCLOSED** | **UNDISCLOSED** LT-1 CAN; **WHITE CEMENT** | **CEMENT DUST** LT-P1 CAN | END; **SOLID NATURE** | **UNDISCLOSED** LT-UNK ; **UNDISCLOSED** LT-UNK ; **UNDISCLOSED** LT-1 CAN; **MINERAL ROCK ANGULAR** | **UNDISCLOSED** LT-P1 ; **UNDISCLOSED** LT-UNK ; **AMORPHOUS SILICA** BM-1 CAN; **BINDER** | **UNDISCLOSED** LT-UNK CAN | PHY; **UNDISCLOSED** LT-P1 CAN | PHY | GEN | END | MAM; **THICKENER** | **UNDISCLOSED** LT-UNK ; **UNDISCLOSED** | **UNDISCLOSED** LT-UNK ;

Number of GreenScreen® BM-4/BM-3 contents: 0

Contents highest concern GreenScreen® Benchmark or List Translator Score: BM - 1

Nanomaterial: No contents are characterized as a nanomaterial

### INVENTORY AND SCREENING NOTES

Summary of product contents and results from screening individual chemical substances against the GreenScreen for Safer Chemicals (R). As included in the finished products, none of the material(s) identified with a "Hazard Type" designator have been shown to present any increased risk to human health under normal conditions of use or exposure.

### VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 19

Regulatory (g/l): 350

Does the product contain exempt VOCs? No

Are ultra-low VOC tints available? No

### CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings

VOC content: SCAQMD Rule 1113 Architectural Coatings

VOC emissions: Clean Air for CDPH Standard Method v1.2 (Section 01350)

### CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1.

Third Party Verified?

PREPARER: Self-Prepared / Intertek

SCREENING DATE: June 29, 2021

Ortex, Terra, Tuscany

HPD 2.2 created via Toxnot

Page 1 of 8

☐ Yes

☒ No

VERIFIER:

VERIFICATION #:

PUBLISHED DATE: June 29, 2021

EXPIRY DATE: June 29, 2024 Not published on the HPDC repository



## Section 2: Content in Descending Order of Quantity

## Nested Method/Product Threshold

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1.1, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-1-1-standard](http://www.hpd-collaborative.org/hpd-2-1-1-standard)

### AGGREGATE

?: 38.68

HPD URL:

MATERIAL THRESHOLD:

RESIDUALS AND IMPURITIES  
CONSIDERED: Not Considered

MATERIAL TYPE: Geologically Derived  
Material

RESIDUAL/IMPURITIES NOTES:

OTHER MATERIAL NOTES:

### UNDISCLOSED

ID: UNDISCLOSED

?: 95-98

GS: LT-UNK RC: None NANO: UNK

ROLE: Abrasion resistance

HAZARD TYPE

AGENCY AND LIST TITLES WARNINGS

None Found

No warnings found on HPD Priority Lists

SUBSTANCE NOTES:

### UNDISCLOSED

ID: UNDISCLOSED

?: 0.1-2.99

GS: LT-1 RC: None NANO: UNK

ROLE: Abrasion resistance

HAZARD TYPE

AGENCY AND LIST TITLES WARNINGS

CAN

Australia - GHS H350i

CAN

CA EPA - Prop 65 cancer

CAN

IARC 1

CAN

Japan - GHS CarcinogenicityCategory 1A

CAN

MAK Carc. 1

CAN

New Zealand - GHS 6.7A

CAN

US NIH - Report on Known Carcinogen

SUBSTANCE NOTES:

### UNDISCLOSED

?: 23

HPD URL:

MATERIAL THRESHOLD:

RESIDUALS AND IMPURITIES  
CONSIDERED: Not Considered

MATERIAL TYPE: Geologically Derived  
Material

RESIDUAL/IMPURITIES NOTES:

OTHER MATERIAL NOTES:

### UNDISCLOSED

ID: UNDISCLOSED

?: 100

GS: LT-1 RC: None NANO: UNK

ROLE: Abrasion resistance

HAZARD TYPE

AGENCY AND LIST TITLES WARNINGS

CAN

Australia - GHS H350i

CAN	CA EPA - Prop 65	cancer
CAN	IARC	1
CAN	MAK	Carc. 1
CAN	US NIH - Report on Carcinogens	Known Carcinogen

SUBSTANCE NOTES:

## WHITE CEMENT

#: 18

HPD URL:

MATERIAL THRESHOLD:	RESIDUALS AND IMPURITIES	MATERIAL TYPE: Hydraulic Binder
	CONSIDERED: Not Considered	
RESIDUAL/IMPURITIES NOTES:		
OTHER MATERIAL NOTES:		

## CEMENT DUST

ID: 65997-15-1

#: 100	GS: LT-P1	RC: None	NANO: UNK	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	MAK		Carc. 3B	
END	TEDX - Potential Endocrine Disruptor		Potential Endocrine Disruptor	

SUBSTANCE NOTES:

## SOLID NATURE

#: 13

HPD URL:

MATERIAL THRESHOLD:	RESIDUALS AND IMPURITIES	MATERIAL TYPE: Geologically Derived Material
	CONSIDERED: Not Considered	
RESIDUAL/IMPURITIES NOTES:		
OTHER MATERIAL NOTES:		

## UNDISCLOSED

ID: UNDISCLOSED

#: 90-97	GS: LT-UNK	RC: None	NANO: UNK	ROLE: Filler
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None Found	No warnings found on HPD Priority Lists			

SUBSTANCE NOTES:

## UNDISCLOSED

ID: UNDISCLOSED

#: 0.1-5	GS: LT-UNK	RC: None	NANO: UNK	ROLE: Abrasive
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
None Found	No warnings found on HPD Priority Lists			

SUBSTANCE NOTES:

## UNDISCLOSED

ID: UNDISCLOSED

#: 0.1-5	GS: LT-1	RC: None	NANO: UNK	ROLE: Abrasion resistance
HAZARD TYPE	AGENCY AND LIST TITLES		WARNINGS	
CAN	Australia - GHS		H350i	
CAN	CA EPA - Prop 65		cancer	
CAN	IARC		1	
CAN	Japan - GHS		CarcinogenicityCategory 1A	
CAN	MAK		Carc. 1	

CAN	New Zealand - GHS	6.7A
CAN	US NIH - Report on Carcinogens	Known Carcinogen

SUBSTANCE NOTES:

#### MINERAL ROCK ANGULAR

%: 5.5

HPD URL:

MATERIAL THRESHOLD:	RESIDUALS AND IMPURITIES CONSIDERED: Not Considered	MATERIAL TYPE: Geologically Derived Material
---------------------	--------------------------------------------------------	----------------------------------------------

RESIDUAL/IMPURITIES NOTES:  
OTHER MATERIAL NOTES:

#### UNDISCLOSED

ID: UNDISCLOSED

%: 93-99	GS: LT-P1	RC: None	NANO: UNK	ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None Found	No warnings found on HPD Priority Lists			

SUBSTANCE NOTES:

#### UNDISCLOSED

ID: UNDISCLOSED

%: 1-5	GS: LT-UNK	RC: None	NANO: UNK	ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None Found	No warnings found on HPD Priority Lists			

SUBSTANCE NOTES:

#### AMORPHOUS SILICA

ID: 7631-86-9

%: 1-2	GS: BM-1	RC: None	NANO: UNK	ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	Australia - GHS	H350i		
CAN	Japan - GHS	CarcinogenicityCategory 1A		

SUBSTANCE NOTES:

#### BINDER

%: 1.5

HPD URL:

MATERIAL THRESHOLD:	RESIDUALS AND IMPURITIES CONSIDERED: Not Considered	MATERIAL TYPE:
---------------------	--------------------------------------------------------	----------------

RESIDUAL/IMPURITIES NOTES:  
OTHER MATERIAL NOTES:

#### UNDISCLOSED

ID: UNDISCLOSED

%: 60-75	GS: LT-UNK	RC: None	NANO: UNK	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CAN	MAK	Carc. 3B		
PHY	EU - GHS (H-Statements)	H220		

SUBSTANCE NOTES:

#### UNDISCLOSED

ID: UNDISCLOSED

%: 20-35	GS: LT-P1	RC: None	NANO: UNK	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		

CAN	EU - Annex VI CMRs	Carc. 2
CAN	EU - GHS (H-Statements)	H351
CAN	IARC	2B
CAN	MAK	Carc. 4
END	TEDX - Potential Endocrine Disruptor	Potential Endocrine Disruptor
GEN	New Zealand - GHS	6.6A
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
PHY	EU - GHS (H-Statements)	H225
SUBSTANCE NOTES:		

#### THICKENER

%: 0.2

HPD URL:

MATERIAL THRESHOLD:

RESIDUALS AND IMPURITIES  
CONSIDERED: Not Considered

MATERIAL TYPE:

RESIDUAL/IMPURITIES NOTES:

OTHER MATERIAL NOTES:

#### UNDISCLOSED

ID: UNDISCLOSED

%: 85-90

GS: LT-UNK

RC: None

NANO: UNK

ROLE: Absorbent

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None Found

No warnings found on HPD Priority Lists

SUBSTANCE NOTES:

#### UNDISCLOSED

%: 0.1

HPD URL:

MATERIAL THRESHOLD:

RESIDUALS AND IMPURITIES  
CONSIDERED: Not Considered

MATERIAL TYPE: Plant-Based Fiber

RESIDUAL/IMPURITIES NOTES:

OTHER MATERIAL NOTES:

#### UNDISCLOSED

ID: UNDISCLOSED

%: 100

GS: LT-UNK

RC: None

NANO: UNK

ROLE: Biocide

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None Found

No warnings found on HPD Priority Lists

SUBSTANCE NOTES:



## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

## VOC CONTENT

CERTIFYING PARTY: Intertek

EXPIRY DATE: 2022-01-07

APPLICABLE FACILITIES: All

CERTIFICATE URL:

CERTIFICATE AND COMPLIANCE NOTES:

## SCAQMD Rule 1113 Architectural Coatings

ISSUE DATE: 2020-10-02

CERTIFIER OR LAB: Intertek

## VOC EMISSIONS

## Clean Air for CDPH Standard Method v1.2 (Section 01350)

CERTIFYING PARTY: Intertek

EXPIRY DATE: 2021-12-20

APPLICABLE FACILITIES: All

CERTIFICATE URL: <https://sustainabilitydirectory.intertek.com/images/certificates/f1e27cf2-89fa-4492-80ed-aabac4e58c58/104432782GRR-001a.pdf>

CERTIFICATE AND COMPLIANCE NOTES:

Evaluation for VOC Content includes EPA Method 24.



## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

**NO ACCESSORIES ARE REQUIRED FOR THIS PRODUCT.** HPD URL:

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:



## Section 5: General Notes

Architectural finish material of the finest quality including mature slaked lime plaster, decorative cements, and other innovative surfaces.



## Section 6: References

### MANUFACTURER INFORMATION

MANUFACTURER: Textstön Industries Inc.  
ADDRESS:  
8025 Deering Ave., Canoga Park, CA, 91304, USA

CONTACT NAME: Jennifer Rigberg  
TITLE: Director, Marketing and Business  
PHONE: 818-227-4812  
EMAIL: jenrigberg@gmail.com

WEBSITE: www.textston.com

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

### KEY

<b>OSHA MSDS</b>	Occupational Safety and Health Administration Material Safety Data Sheet
<b>GHS SDS</b>	Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

### Hazard Types

<b>AQU</b>	Aquatic toxicity	<b>GLO</b>	Global warming	<b>PHY</b>	Physical Hazard (reactive)
<b>CAN</b>	Cancer	<b>MAM</b>	Mammalian/systemic/ organ toxicity	<b>REP</b>	Reproductive toxicity
<b>DEV</b>	Developmental toxicity	<b>MUL</b>	Multiple hazards	<b>RES</b>	Respiratory sensitization
<b>END</b>	Endocrine activity	<b>NEU</b>	Neurotoxicity	<b>SKI</b>	Skin sensitization/ Irritation/corrosivity
<b>EYE</b>	Eye irritation/corrosivity	<b>OZO</b>	Ozone depletion	<b>LAN</b>	Land toxicity
<b>GEN</b>	Gene mutation	<b>PBT</b>	Persistent Bioaccumulative Toxic	<b>NF</b>	Not found on Priority Hazard Lists

### GreenScreen (GS)

<b>BM-4</b>	Benchmark-4 (prefer – safer chemical)	<b>LT-P1</b>	List Translator Possible Benchmark 1
<b>BM-3</b>	Benchmark-3 (use but still opportunity for improvement)	<b>LT-1</b>	List Translator Likely Benchmark 1
<b>BM-2</b>	Benchmark-2 (use but search for safer substitutes)	<b>LT-UNK</b>	List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
<b>BM-1</b>	Benchmark-1 (avoid – chemical of high concern)		
<b>BM-U</b>	Benchmark Unspecified (insufficient data to benchmark)	<b>NoGS</b>	Unknown (no data on List Translator Lists)

### Recycled Types

<b>PreC</b>	Preconsumer (Post-Industrial)
<b>PostC</b>	Postconsumer
<b>Both</b>	Both Preconsumer and Postconsumer
<b>Unk</b>	Inclusion of recycled content is unknown
<b>None</b>	Does not include recycled content

### Other Terms

#### Inventory Methods:

- Nested Method/Material Threshold** Substances listed within each material per threshold indicated per material
- Nested Method/Product Threshold** Substances listed within each material per threshold indicated per product
- Basic Method/Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nanoscale particles or nanotechnology

**Third Party Verified** Verification by independent certifier approved by HPDC

**Preparer** Third party preparer, if not self-prepared by manufacturer

**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,*
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.*

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.*

Ortex, Terra , Tuscany

HPD 2.2 created via Toxnot  
Page 8 of 8